Welcome

Moving your AI training jobs to LUMI workshop

4.2.2025

CSC

EURO FINLAND

LUMI

Find information about the course
and ask questions here:
https://md.sigma2.no/lumi-ai-workshop-feb25

Find information about the course and ask questions here:

https://md.sigma2.no/lumi-ai-workshop-feb25



Switch to edit mode

New LUMI AI Guide

https://github.com/Lumi-supercomputer/LUMI-AI-Guide



Introduction to LUMI

Moving your AI training jobs to LUMI workshop

4.5.2025

LUMI

LUMI is not one single computer

It behaves quite a bit different than your local computer

LUMI is a very fast computer in Europe

- 8th fastest computer in world (TOP500)
- Operated by LUMI consortium
  - 11 countries collaborating
  - 50 % financed by EuroHPC JU
- Located in Kajaani, Finland
- Distributed LUMI user support team (LUST)
  - One full time employee equvalent from each country
  - Offer email support, courses, workshops, ...
  - Responsible of software stack



LUMI is a cluster of individual computers

- LUMI is not one superfast computer
- Instead it consists of a few thousand individual computers (“nodes”)
- All of them are connected by a fast interconnect
- Speed comes from parallelization

Two ways of connecting

Command line interface



Browser based interface (OpenOnDemand)



LUMI consists of different parts

- Computers
  - Login nodes – UAN (user access nodes)
  - CPU compute nodes – LUMI-C
  - GPU compute nodes – LUMI-G
  - Visualisation nodes – LUMI-D
- Storage
  - 80 PB main parallel storage – LUMI-P
  - 8.5 PB accelerated storage – LUMI-F
  - 30 PB object-based storage – LUMI-O
- Interconnect
  - HPE Slingshot 13
  - Connects everything



LUMI-C and -G are quite different

LUMI

LUMI-G



2978 nodes with
4x MI250X (2 x 64GB)
1x AMD Trento CPU
512 GB RAM
4x 200 Gbit/s NIC



1888 nodes with 256 GB,
128 with 512 GB and 32 with 1 TB RAM
2x 64-core AMD Milan CPUs
1 x 200 Gbit/s NIC

LUMI-C

GPU nodes are the center of LUMI

2978 nodes each with
4 x MI250X (2 x 64GB)
1 x AMD Trento CPU
512 GB RAM
4 x 200 Gbit/s NIC



Interconnect is the fast backbone of LUMI



- Connnects all nodes
- Has a similar role to ethernet
- Much higher speed bandwidth

Interconnect is the fast backbone of LUMI



- Slingshot in Dragonfly topology
  - Each G node is connected to 4 switches
  - All-to-all amongst switches in a group
  - All-to-all between groups
  - Max of 3 switch hops
- Make sure to use it

LUMI

AMD is not Nvidia

But the differences are quite small

Our GPUs are confusing



Each AMD Instinct MI250X

- 2 Graphics Compute Die (GCD)
- 110 compute units per GCD with each 64 stream processors
- 64 GB HBM GPU memory per GCD
- Each process can only use 64GB max – not 128GB

Different names but usually same concept

LUMI

AMD

PyTorch	ML Training	PyTorch
Infiniband / RoCE	Networking Between Nodes	HPE Slingshot
NCCL	Cross-GPU Communication	RCCL
CUDA / CuDNN	Software Stack	ROCm
A100, H100	GPU	MI250X, MI300X

ROCm is not CUDA

LUMI

- ROCm is the equivalent software stack to Nividia's CUDA
- Basically drop-in replacement
- Very similar concept
- Some small differences
- Consists of
  - GPU drivers
  - Compilers and profilers
  - Math and communication libraries

PyTorch makes it simple

LUMI

- Both CUDA and ROCm are loaded with `cuda` submodule
- Check whether you can see any GPUs with `torch.cuda.device_count()`

```
dietzej@nid005021:~$ singularity exec $SIF python -c 'import torch; print(f"Number of GPUs
: {torch.cuda.device_count()}"); print(torch.cuda.get_device_properties(0))'
Number of GPUs: 1
_CudaDeviceProperties(name='AMD Instinct MI250X', major=9, minor=0, gcnArchName='gfx90a:sr
amecc+:xnack-', total_memory=65520MB, multi_processor_count=110)
dietzej@nid005021:~$
```

LUMI

Storage is not as easy as on your laptop

But if you follow some rules you will be fine

There is more than one storage server



LUMI has three storage systems



- LUMI-P
  - Lustre file system
  - Disk based
  - 4 independent systems with each 20 PB
- LUMI-F
  - Lustre file system
  - Solid-state (flash) based
  - 8.5 PB
- LUMI-O
  - Object storage based
  - Disk based
  - 30 PB

There are no local disks

LUMI

- Compute nodes have no local disks
- Instead network storage (LUMI-P & -F) has to be used
- 4 storage areas

Area	Path	Usage
User home	`/users/<username>`	Configuration files
Project persistent	`/project/<project>`	Installations + final results
Project scratch	`/scratch/<project>`	Input + Intermediate results
Project flash	`/flash/<project>`	Input if high bandwidth is needed

Lustre doesn't like many small files



Lustre consists of 3 parts

- Client
  Compute or login node that wants to access a file
- Metadata Server
  - Doesn't store file content
  - Just metadata like location, size, ...
  - Tells client where to find file
- Object Storage Server
  - Stores actual file content
  - Either complete file or parts
  - Sends and receives data to/from client

Lustre doesn't like many small files



Problem with many small files

- For each file the client queries the Metadata server (MDS)
- Many object storage servers but only one MDS
- MDS can get overloaded by queries if many clients ask for lots of small files each

Lustre likes few large files



To avoid overloading MDS

- Avoid many (thousands) small files
- Avoid opening/closing many files in short time
- Bundle files together
- Python environments can be a problem → discuss later

What about /tmp?

LUMI

- Compute nodes don't have local disks/flash
- /tmp resides in memory
- Consumes space of your memory allocation
- Remember to allocate enough memory if you want to use /tmp

LUMI consists of different parts



Use them well and you will get great results

LUMI

Questions?